



Trading Symbol: RRO - TSX-V
Shares Outstanding: 73,643,716

News Release No. 19-07
October 10, 2007

ROYAL ROADS EXTENDS MINERALIZATION 75 METRES BELOW THE DANIELS POND DEPOSIT WITH AN INTERSECTION OF 7.9% COMBINED BASE METALS COMPRISING 2.47 METRES OF 5.27% ZINC, 2.41% LEAD, 0.22% COPPER, 116.81 G/T SILVER, 0.43 G/T GOLD

Royal Roads Corp. (RRO-TSX-V) ("Royal Roads") is pleased to announce that as part of its ongoing 11,000 m drill program at its Daniels Pond base metal deposit in central Newfoundland, one of its exploration holes (DN-07-092A) has intersected **7.9% of combined base metal mineralization 75 metres below the current deposit (Zn+Pb+Cu)** with a true width intersection of 2.47 metres of 5.27% zinc, 2.41% lead, 0.22% copper, 116.81 g/t silver and 0.43 g/t gold.

Hole DN-07-92A is part of an ongoing 11,000 m drilling program comprising 57 planned holes that began in June 2007 and that has now completed 5,800 m in 29 holes. The program has been systematically moving down the length of the deposit from the northeast to the southwest and has now completed all the holes in the vicinity of the weaker mineralized Northeast Lobe, the results of which are discussed below. The purpose of the drilling to date has been to pursue three objectives:

1. **Deep Exploration drilling** - Explore for mineralization at depth below the current deposit;
2. **Extension Exploration Drilling** - Explore for extensions to the current deposit at its margins and along strike, and
3. **Infill Drilling** - Conduct infill drilling to increase the level of confidence in the deposit's current NI-43-101 Inferred Resource and upgrade as much of the resource as possible to the Indicated category.

The Daniels Pond deposit currently hosts an NI43-101 compliant Inferred Resource totaling 1.69 million tonnes grading 8.37% zinc, 4.4% lead, 0.57% copper, 196.9 g/t silver and 0.68 g/t gold at a 2% Zn cut-off (Royal Roads news release dated November 7, 2006 and technical report filed November 8, 2006). The bulk of these resources occur within 200 m of surface within two lobes of mineralization, the weaker mineralized Northeast Lobe and the stronger mineralized Southwest Lobe respectively. These lobes dip steeply to the northeast and have a combined strike length of approximately 1,100 m with potential to expand the deposit both down dip and along strike of both lobes.

Deep Exploration Drilling

The planned deep exploration drilling program is comprised of 3 drill holes designed to test for mineralization at depths ranging between 125 and 200 m below the existing Daniels Pond deposit (250 to 350 m below surface). The first of these holes (DN-07-92A) has now been completed, and successfully intersected mineralization at a depth of 220 m below surface, and 75 m below the currently defined extents of the Northeast lobe. A second deep exploration hole has also been completed but assays are currently pending. This second hole was planned to test the mineralized horizon at a depth of 340 m below surface, approximately 175 m below the current limits of the Northeast and Southwest Lobes. The third planned deep exploration drill hole is now underway and is planned to test for mineralization at a depth of 350 m below surface or approximately 200 m below the limits of the stronger Southwest Lobe. Results from hole DN-07-92A are summarized in Table 1 below.

ROYAL ROADS CORP. – RRO - TSX-V

20th Floor • Purdy's Wharf Tower II • Suite 2001
1969 Upper Water Street • Halifax • Nova Scotia • B3J 3R7 • Canada
Local Phone: (902) 444-3637 • Toll Free Phone (877) 444-7774 • Fax: (902) 444-3296

Warren MacLeod, President of Royal Roads stated that “I am very pleased with the width and grade identified in hole 92A confirming the potential for outlining additional resources at depth. This intersection certainly provides us with a high priority exploration target when we come to plan our next phase of drilling at Daniels Pond.”

Table 1. Daniels Pond Deposit – Deep Exploration Drilling Results (Below Northeast Lobe)

Drill hole	From (m)	To (m)	Core length (m)	Estimated true width (m)*	Zn-Pb-Cu Combined (%)**	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
DN-07-092A	262.90	268.50	5.60	4.85	1.67	1.23	0.24	0.20	13.87	0.68
and	286.83	295.56	8.73	6.17	4.59	2.92	1.53	0.14	73.49	0.41
including	286.83	290.33	3.50	2.47	7.90	5.27	2.41	0.22	116.81	0.43
also	294.83	295.56	0.73	0.52	9.55	6.60	2.48	0.47	205.50	1.69

*Estimated true widths have been measured based on observed contacts (core angles in drill core).

**Combined zinc, lead and copper percentages for each interval added together.

Extension Exploration Drilling

Planned exploration drilling along strike and down dip of the Northeast Lobe was designed to explore for possible extensions of mineralization around previous drill hole DN-35, which had intersected 2.86 m grading 8.49% zinc, 7.22% lead and 0.52% copper. This hole represented an isolated pod of inferred resource located about 100 m down dip of the Northeast Lobe. The twelve 2007 holes drilled in the vicinity of hole DN-35 were unable to identify extensions of similar grades and widths; however, results were encouraging with three of the holes (70, 72 & 78) encountering combined base metal grades of between 4.74% and 11.04% over widths from 1.07 to 2.19 m. Five other holes (67, 68, 73, 74 & 76) all encountered significant combined base metal mineralization of between 3.77% and 46.83%, but over narrower widths ranging between 0.12 and 0.45 m. The remaining four holes (69, 71, 75 & 77) all encountered minor base metal mineralization over narrow widths. Results of the 2007 exploration drilling in the northeast extension zone are summarized in Table 2 below.

Warren MacLeod, President of Royal Roads stated that “Although drilling in this northeast extension zone was unable to extend the same widths and grades around historical hole DN-35, I am encouraged that every hole encountered base metal mineralization and clearly identifies a highly prospective area for future exploration.”

Table 2. Daniels Pond Deposit – Northeast Extension Zone Exploration Drilling Results:

Drill hole	From (m)	To (m)	Core length (m)	Estimated true width (m)*	Zn-Pb-Cu Combined (%)**	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
DN-07-067	181.08	181.78	0.70	0.45	4.78	2.90	1.70	0.18	37.00	0.05
and	196.31	196.82	0.51	0.46	3.45	2.90	0.16	0.39	24.70	1.88
DN-07-068	189.37	189.84	0.47	0.44	3.41	2.00	1.36	0.05	28.80	0.05
and	222.06	226.3	4.24	3.98	1.32	0.96	0.14	0.22	8.92	0.64
DN-07-069	266.29	266.67	0.38	0.31	1.25	1.12	0.05	0.08	2.74	0.13
and	274.79	275.33	0.54	n/a	1.63	1.34	0.19	0.10	2.74	0.26
DN-07-070	223.75	224.75	1.00	n/a	1.06	1.00	0.02	0.04	1.03	0.00
and	296.01	306.95	10.94	8.00	2.20	1.69	0.22	0.29	10.59	0.54
including	300.00	303.00	3.00	2.19	3.66	3.13	0.20	0.33	7.98	0.38
and	321.52	325.10	3.58	n/a	1.13	0.86	0.11	0.16	13.28	0.62
DN-07-071	288.28	290.28	2.00	1.88	1.57	1.15	0.20	0.22	8.40	0.52
DN-07-072	164.57	164.97	0.40	0.36	1.58	1.44	0.06	0.08	3.42	0.02
and	168.61	169.08	0.47	0.41	1.72	1.06	0.57	0.09	29.10	0.24

and including	170.08 171.33	174.62 172.6	4.54 1.27	4.03 1.07	4.7 11.04	2.82 6.62	1.72 4.02	0.16 0.40	68.91 164.72	0.18 0.40
DN-07-073	255.95	256.24	0.29	0.24	8.71	5.40	3.10	0.21	72.60	0.93
and	267.13	273.9	6.77	6.00	1.55	1.12	0.18	0.25	9.71	0.63
DN-07-074	217.07	219	1.93	1.58	1.72	1.37	0.15	0.2	8.02	0.19
including	217.07	218	0.93	0.76	2.55	2.18	0.13	0.24	8.90	0.19
and	221	223.85	2.85	2.33	1.15	0.82	0.14	0.19	8.69	0.46
and	227.49	231.23	3.74	2.89	1.8	1.31	0.23	0.26	13.47	0.77
and	240.89	241.02	0.13	0.12	46.83	24.4	20.0	2.43	722.6	0.2
DN-07-075	349.3	349.9	0.6	0.56	2.1	1.94	0.01	0.15	2.05	0.08
DN-07-076	236.51	236.66	0.15	0.14	3.77	2.24	0.33	1.2	81.5	0.23
and	258.63	259.18	0.55	0.52	1.44	1.12	0.09	0.23	6.51	0.50
DN-07-077	6.50	7.00	0.50	0.47	1.46	1.36	0.06	0.04	6.16	0.26
DN-07-078	178.74	181.48	2.74	2.31	4.51	2.7	1.65	0.16	70.2	0.23
including	179.56	181.05	1.49	1.40	7.12	4.28	2.60	0.24	110.36	0.16
also	180.89	181.05	0.16	0.14	50.4	28.00	21.10	1.30	866.40	0.85

*Estimated true widths have been measured based on observed contacts (core angles in drill core).

**Combined zinc, lead and copper percentages for each interval added together.

Infill Drilling

Recently completed infill drilling on the Northeast Lobe was comprised of 16 holes and was designed to provide more detailed data on the extent and boundaries of the mineralization in the weaker Northeast Lobe of the Daniels Pond deposit. Four of these holes (79, 81, 82 & 88) intersected the mineralized horizon and may contribute to the continuity of mineralization in the far northeast end of the zone. Five other holes (80, 84, 85, 86 & 87) located in a line along the length of the Northeast Lobe and penetrating the mineralized zone within 30 m of surface returned minor base metal values over narrow widths. These five holes penetrated a zone previously thought to have greater widths and grades extending to surface and may have an impact when a future resource is calculated in this particular part of the Northeast Lobe. The remaining 7 holes (83, 89, 90, 91, 93, 94 & 95) provided either minor base metal values over narrow widths or no significant assays, but provide better definition of the lower and southwest edges of the Northeast Lobe mineralization. Results of infill drilling on the Northeast Lobe are summarized in Table 3 below. Based on results received to date, Royal Roads anticipates changes in the size and grade of the resource in the Northeast Lobe once an updated NI43-101 report is completed, which is anticipated to be in the first quarter of 2008. The new resource estimate will be completed by independent consultants, Mercator Geological Services Limited of Dartmouth, Nova Scotia under the supervision of Independent Qualified Person, Peter Webster P. Geo.

Warren MacLeod, President of Royal Roads stated that “Infill drilling on the Northeast Lobe has re-defined our previous interpretation of the extent and boundaries of the mineralization in this part of the Daniels Pond deposit. Although it will still be some time before we are able to calculate an updated NI 43-101 resource for the Daniels Pond deposit, it would be my expectation that a reduction in the resource in this part of the deposit may be a likely outcome. We have however uncovered noteworthy mineralization 75 m below the Northeast Lobe in hole DN-07-92A and are encouraged by the possibility of expanding new resources at depth below the known deposit.”

Table 3. Daniels Pond Deposit Infill Drilling Results (Northeast Lobe)

Drill hole	From (m)	To (m)	Core length (m)	Estimated true width (m)*	Zn Pb Cu Combined (%)**	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
DN-07-079	51.26	56.00	4.74	4.20	2.49	1.43	0.98	0.08	21.29	0.12
including	52.90	53.09	0.19	0.16	7.13	5.10	2.01	0.02	23.60	0.15

Drill hole	From (m)	To (m)	Core length (m)	Estimated true width (m)*	Zn Pb Cu Combined (%)**	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
DN-07-079A	53.40	59.40	6.00	3.86	2.2	1.27	0.87	0.06	15.91	0.17
including	53.90	54.40	0.50	0.32	2.53	2.11	0.34	0.08	14.00	0.23
also	57.90	58.40	0.50	0.32	10.87	4.70	6.10	0.07	67.10	0.26
DN-07-080	15.01	22.00	6.99	4.72	1.46	1.00	0.29	0.17	15.68	0.51
DN-07-081	7.20	8.20	1.00	0.71	8.81	6.70	1.68	0.43	177.25	0.69
including	7.70	8.20	0.50	0.35	10.31	9.60	0.35	0.36	287.70	0.61
and	13.12	14.60	1.48	0.62	1.68	1.17	0.22	0.29	13.47	0.68
and	25.59	34.00	8.41	3.55	4.42	3.16	1.14	0.12	53.32	0.92
including	27.10	32.00	4.90	2.07	5.93	4.31	1.48	0.14	51.26	0.97
also	30.53	31.03	0.50	0.32	13.64	11.80	1.41	0.43	81.80	0.14
and	59.83	68.00	8.17	4.09	1.97	1.45	0.42	0.10	28.02	0.11
including	59.83	63.10	3.27	1.64	3.02	2.39	0.47	0.16	22.37	0.14
also	61.13	61.70	0.57	0.30	9.82	8.50	0.75	0.57	50.30	0.23
DN-07-082A	56.49	84.60	28.11	n/a	1.79	1.34	0.24	0.21	12.82	0.48
including	60.55	72.50	11.95	10.16	2.51	1.93	0.32	0.26	12.87	0.61
with	66.00	71.50	5.50	4.68	3.38	2.66	0.42	0.30	12.51	0.58
also	71.00	71.50	0.50	0.43	5.59	4.80	0.43	0.36	10.90	0.25
and	74.00	77.95	3.95	3.36	1.78	1.32	0.28	0.18	10.31	0.43
and	83.00	84.60	1.60	1.36	2.82	2.18	0.44	0.20	35.47	0.71
DN-07-083	121.47	125.50	4.00	3.64	1.38	1.10	0.12	0.16	8.13	0.66
and	129.47	132.50	3.00	2.73	1.43	1.13	0.15	0.15	5.93	0.37
DN-07-084	62.47	62.63	0.16	0.14	1.94	1.80	0.06	0.08	1.71	0.14
DN-07-085	21.00	23.00	2.00	1.64	3.54	2.11	1.30	0.13	30.65	0.11
and	45.00	47.00	2.00	1.73	2.44	1.94	0.41	0.09	16.11	0.40
DN-07-086	48.38	49.15	0.77	0.70	1.13	0.75	0.31	0.07	28.00	0.10
DN-07-087	52.23	63.29	8.06	7.30	1.22	0.78	0.39	0.05	18.25	0.09
including	57.19	59.36	2.17	1.97	1.57	0.94	0.56	0.07	18.35	0.11
also	57.19	57.29	0.10	0.09	11.75	7.10	4.10	0.55	82.20	0.30
DN-07-088	75.69	99.27	23.58	17.21	3.4	2.36	0.76	0.28	37.55	0.77
including	77.69	79.1	1.41	1.03	4.84	3.52	1.24	0.08	37.09	1.69
also	96.12	98.27	2.15	2.04	14.17	8.78	4.75	0.64	206.36	0.89
with	96.72	97.15	0.43	0.41	24.82	15.70	7.90	1.22	280.08	0.37
DN-07-089	155.03	158.03	3.00	2.28	1.43	1.11	0.15	0.17	9.11	0.41
and	163.00	166.36	3.36	2.55	2.05	1.45	0.27	0.33	12.82	0.51
including	165.00	165.50	0.50	0.37	3.85	2.80	0.46	0.59	16.40	0.80
DN-07-090	145.35	156.55	11.20	9.45	1.51	1.05	0.22	0.24	11.85	0.44
including	146.35	147.05	0.70	0.59	2.75	2.04	0.37	0.34	18.20	0.73
and	159.55	163.15	3.60	2.31	2.2	1.41	0.57	0.22	24.87	0.46
DN-07-091	95.84	96.85	1.01	0.85	0.88	0.67	0.17	0.04	6.51	0.11
DN-07-093	140.60	141.10	0.50	0.41	1.39	0.95	0.37	0.07	28.40	0.39
DN-07-094				No significant assays observed						
DN-07-095				No significant assays observed						

*Estimated true widths have been measured based on observed contacts (core angles in drill core).

**Combined zinc, lead and copper percentages for each interval added together.

Drilling Time Table

The Daniels Pond drilling is expected to run late into the year as the drill is moved onto the stronger Southwest Lobe. Further results will be released periodically as the program nears completion. An interpreted longitudinal projection showing the location of historic drill holes relative to the current drill holes is available at the Royal Roads website located at: <http://www.royalroadscorp.ca>

Management's Opinion

Warren MacLeod, President, stated, "we are encouraged that our current program is proceeding towards providing a revised resource estimate that will include higher confidence Indicated Resources required for prefeasibility. We are more encouraged by the fact that initial exploratory drilling northeast along strike and beneath the known deposit confirm that excellent potential exists for discovery of significant additional resources."

Daniels Pond Deposit

On November 8th, 2006, Royal Roads filed a NI43-101 compliant technical report for the Daniels Pond deposit which estimated the inferred resource to be comprised of 1.69 million tonnes grading 8.37% zinc, 4.4% lead, 0.57% copper, 196.9 g/t silver and 0.68 g/t gold, at a 2% zinc cutoff.

Sampling Procedure

The drill program is being managed by Mercator Geological Services Limited of Dartmouth Nova Scotia under the direction of Peter Webster, P.Geo., (NL). Drill intercepts quoted are core lengths and estimated true widths have also been calculated where possible using observed contacts in drill core. Logging, sampling and assaying procedures are being completed as per Royal Roads QA/QC protocols as described in Royal Roads news release dated February 27th, 2007.

Paul Moore, M.Sc., P.Geo., (NL), Royal Road's Vice President of Exploration, is acting as Qualified Person in compliance with National Instrument 43-101 with respect to this release and has reviewed the contents for accuracy. All exploration activities described herein are being conducted under the direction and supervision of Mr. Moore.

About Royal Roads

Royal Roads is a resource company based in Halifax, Nova Scotia, Canada and is focused on exploring and developing base metal properties in central Newfoundland, Canada. Royal Roads and its 35.05% affiliate, Buchans River Ltd., together control a total of 30,200 hectares within central Newfoundland's Victoria Lake and Buchans mining camps, including the historic Buchans mine (owned by Buchans River) and the Daniels Pond deposit (owned by Royal Roads). Royal Roads is 44.42% controlled by Acadian Mining Corporation, a Halifax based resource company developing gold and base metal properties, including the Scotia Mine (zinc and lead) in Nova Scotia.

Forward Looking Statement

Certain information regarding the Company contained herein may constitute forward-looking statements within the meaning of applicable securities laws. Forward-looking statements may include estimates, plans, expectations, opinions, forecasts, projections, guidance or other statements that are not statements of fact. Although the Company believes that the expectations reflected in such forward-looking statements are reasonable, it can give no assurance that such expectations will prove to have been correct. The Company cautions that actual performance will be affected by a number of factors, many of which are beyond the Company's control, and that future events and results may vary substantially from what the Company currently foresees. The Company's forward-looking statements are expressly qualified in their entirety by this cautionary statement.

For additional information on the Company's properties and activities, please visit our web site at www.royalroadscorp.ca.

FOR FURTHER INFORMATION, PLEASE CONTACT:

Warren G. MacLeod, President & CEO

or

David Felderhof, Vice-President

(902) 444-3637

Halifax, Nova Scotia

The TSX Venture Exchange does not accept responsibility for the adequacy or accuracy of this release.