



Trading Symbol: RRO - TSX-V
Shares Outstanding: 112,127,490

News Release No. 14-08
August 6, 2008

**ROYAL ROADS EXPANDS LUNDBERG MINERALIZATION WITH
INTERSECTION OF 34.82 METRES OF 5.75% COMBINED BASE METALS:
4.06% ZINC, 1.42% LEAD, 0.28% COPPER, 10.21 G/T SILVER & 0.07 G/T GOLD**

Royal Roads Corp. (RRO-TSX-V) ("Royal Roads") is pleased to provide results for the last 12 holes (1,842 m) from its 52 hole drill program comprising 7,961 metres on its 100% controlled Lundberg deposit adjacent to the former Lucky Strike mine in Buchans, central Newfoundland. The new results expand mineralization in both the Mill and North Areas of the deposit and indicate the zone remains open in both areas. Combined with results from other drilling completed in 2008 as well as historic drilling completed by the former mine operators, these results define a volume of near surface mineralized rock hosting stockwork sulphides which may represent a bulk tonnage resource amenable to open pit mining. Results further indicate higher grade sections exist within a northwest trending corridor that may define a higher grade volume of rock within the larger mineralized zone. Of particular note, step-out drilling approximately 60 metres southwest of the former Lucky Strike orebody intersected **34.82 metres of stockwork mineralization averaging 5.75% combined base metals (Zn%+Pb%+Cu%) comprised of 4.06% zinc, 1.42% lead, 0.28% copper, 10.21 g/t silver & 0.07 g/t gold**. This mineralization, encountered in hole H-3407, occurs approximately 128 m below surface and includes higher grade sections up to **10.00 m in core length averaging 9.47% combined base metals comprised of 6.66% zinc, 2.54% Lead, 0.27% Copper, 15.76 g/t Ag and 0.11 g/t Au**. This mineralization remains open to the south.

Results from the last 12 holes now provide Mercator Geological Services Limited of Dartmouth, Nova Scotia with data required to prepare a National Instrument 43-101 ("NI 43-101") compliant inferred resource estimate for the Lundberg deposit. This initial estimate will rely on results from all 52 holes of the 2008 program (approximately 7,961 metres of drilling) and available historic drilling results for holes previously drilled by American Smelting and Refining Company ("Asarco").

Lundberg Deposit & Historic Buchans Mines

As a result of the recently completed plan of arrangement with Buchans River Ltd. ("Buchans River"), all Buchans River's properties and assets are now 100% controlled by Royal Roads, including the Lundberg deposit located adjacent and beneath the former Lucky Strike mine, previously operated by Asarco between 1928 and 1979. Historic production at Lucky Strike totaled *6.4 million tonnes averaging 16.92% Zn, 8.02% Pb, 1.46% Cu, 101.8 g/t Ag and 1.5 g/t Au.

The zone of disseminated to stockwork mineralization referred to as the Lundberg deposit is reported to host an historical uncategorized resource estimate completed by Asarco in 1974 of approximately **11.9 million tonnes averaging 1.83% zinc, 0.67% lead, 0.38% copper, 0.16 ounces per ton silver (5.5 g/t) and trace gold****. This estimate was prepared before implementation of NI 43-101 and is considered historic in nature, and therefore cannot be relied upon. Details on the historic estimate are more fully disclosed in Buchans River's news release dated September 10, 2007.

For those Royal Roads shareholders unfamiliar with the Lundberg deposit, this news release has been drafted to provide a summary of drilling highlights on the Lundberg deposit to date. A map identifying

ROYAL ROADS CORP. – RRO - TSX-V

20th Floor • Purdy's Wharf Tower II • Suite 2001
1969 Upper Water Street • Halifax • Nova Scotia • B3J 3R7 • Canada
Local Phone: (902) 444-3637 • Toll Free Phone (877) 444-7774 • Fax: (902) 444-3296

the location of all Lundberg drill holes completed in 2008 has been posted on Royal Roads' website located at <http://www.royalroadscorp.ca>. Historic Buchans River news releases and tables of 2008 drill results are also available on the same website. As a result of the Royal Road's acquisition of Buchans River, Royal Roads now controls 100% interest in the entire former Buchans mining camp, including all past producing mines that cumulatively produced ***16.2 million tonnes averaging 14.51% zinc, 7.56% lead, 1.33% copper, 126.0 g/t silver and 1.37 g/t gold.

* Past production figures for the Buchans Mines including the Lucky Strike mine were obtained from an article written by Thurlow and Swanson, 1981: *Geology and ore deposits of the Buchans area, central Newfoundland*. In: Swanson, E.A., Strong, D.F., and Thurlow, J.G., (editors), *The Buchans Orebodies: Fifty Years of Geology and Mining*. Geological Association of Canada Special Paper 22. Page 122, Table II.

** Trace gold is less than 0.01 ounces per ton gold (i.e. less than 0.35 g/t gold), the lower detection limit of historical gold assays used in Asarco's resource estimate.

*** Past production figures for the Buchans Mines were obtained from an article written by R.V. Kirkham, 1986: *Buchans Geology, Newfoundland (Introduction)*. In: R.V. Kirkham., (editor), *Buchans Geology, Newfoundland*. Geological Survey of Canada Paper 86-24. Page 1,

Lundberg Drill Results

Additional results are derived from three areas within and adjacent to the Lundberg deposit as previously defined by Asarco in 1974. These areas are defined as the North Area, located north of the Lucky Strike glory hole, the Mill Area, located under the old mill site, east of the Lucky Strike glory hole, and the Engine House Area located immediately south of the Mill Area.

North Area Results

Three additional holes were drilled in the North Area, H-3399 tested the shallower eastern boundary and holes H-3406 and H-3407 tested the deeper western boundary of the North Area mineralization. All three holes intersected mineralization that remains open to the east of H-3399 and south and west of holes H-3406 and H-3407. Highlights for this area include mineralization intersected in hole H-3407 which hosts high grades over large widths within broader lower grade sections including **10.00 metres averaging 9.47% combined base metals comprised of 6.66% zinc, 2.54% Lead, 0.27% Copper, 15.76 g/t Ag and 0.11 g/t Au**. Results from this area are presented in Table 1 below.

Table 1. Drilling Results Lundberg Zone – North Area.

Drill hole	From (m)	To (m)	Core length (m)	Zn Pb Cu Combined (%)****	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
H-3399	38.00	61.00	23.00	2.48	1.42	0.74	0.31	4.73	0.03
including	40.00	44.00	4.00	6.89	3.85	2.11	0.93	13.25	0.04
including	40.00	42.00	2.00	8.54	5.50	2.45	0.59	9.40	0.06
and	65.00	67.00	2.00	1.70	1.10	0.53	0.07	1.54	0.04
and	77.00	80.00	3.00	2.17	1.53	0.53	0.11	2.51	0.04
H-3406	180.07	185.32	5.25	3.22	1.99	1.10	0.13	2.17	0.02
including	181.00	182.00	1.00	5.86	3.80	1.83	0.23	3.42	0.02
and	189.00	202.00	13.00	2.56	1.97	0.39	0.20	5.92	0.07
including	189.00	191.00	2.00	3.62	3.03	0.56	0.04	8.05	0.11
and	189.00	202.00	13.00	2.56	1.97	0.39	0.20	5.92	0.07
including	194.00	202.00	8.00	3.10	2.33	0.46	0.31	6.58	0.06
with	197.00	199.00	2.00	4.93	3.95	0.59	0.40	11.43	0.08
and	217.00	232.00	15.00	4.06	2.61	1.18	0.27	4.76	0.06
including	224.00	224.50	0.50	8.56	4.80	2.80	0.96	5.14	0.08

Drill hole	From (m)	To (m)	Core length (m)	Zn Pb Cu Combined (%)****	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
including and including and	226.00 247.00 247.00 251.00 267.00	226.50 270.00 252.50 251.50 270.00	0.50 23.00 5.50 0.50 3.00	8.56 2.30 4.14 12.57 2.06	5.30 1.30 2.16 6.80 1.29	3.10 0.83 1.61 5.30 0.68	0.16 0.16 0.37 0.47 0.09	9.93 3.26 4.32 4.79 3.19	0.11 0.03 0.02 0.02 0.03
H-3407 including including including with also and including and and including including	128.18 128.18 138.00 139.00 139.00 146.00 179.00 180.00 190.00 194.00 205.00 212.00	217.00 163.00 162.00 149.00 142.00 149.00 191.00 181.00 191.00 207.00 206.00 213.00	88.82 34.82 24.00 10.00 3.00 3.00 12.00 1.00 1.00 13.00 1.00 1.00	3.10 5.75 7.07 9.47 12.37 11.65 2.16 8.71 2.99 1.53 3.90 5.53	2.17 4.06 5.03 6.66 8.87 8.07 1.43 5.60 2.00 1.09 3.40 4.40	0.78 1.42 1.80 2.54 3.21 3.23 0.61 2.50 0.81 0.36 0.25 0.96	0.15 0.28 0.24 0.27 0.29 0.35 0.12 0.61 0.18 0.08 0.25 0.17	6.02 10.21 11.18 15.76 15.40 16.00 3.91 7.19 5.48 3.03 3.08 6.51	0.05 0.07 0.07 0.11 0.15 0.08 0.03 0.03 0.03 0.03 0.02 0.02

**** Combined zinc, lead and copper percentages for each interval added together.

Mill Area Results

Four additional holes (H-3398, H-3400, H-3401, & H-3405) were drilled to test the eastern limits of the Lundberg zone. Three of the holes intersected large widths of subcropping mineralization, extending the eastern limits of the zone by as much as 50 metres, with mineralization open to the east and northeast of hole H-3400. The latter hole intersected mineralized bedrock averaging **2.53% combined base metals over a core length of 61.64 metres** below 9.4 metres of overburden. Hole H-3398 also returned significant mineralization immediately beneath overburden (8.42 metres of overburden) including **93.58 metres averaging 1.99% combined base metals comprised of 1.11% zinc, 0.48% lead, 0.40% copper, 3.02 g/t silver and 0.03 g/t gold**, including a 46.00 metre section averaging 2.61% combined base metals comprised of 1.49% zinc, 0.77% lead, 0.35% copper, 3.55 g/t silver and 0.02 g/t gold. Hole H-3405 located about 60 metres southeast of hole 3400 did not intersect significant mineralization and was not sampled. This hole defines the eastern limit of the mineralized zone, 50 metres east of hole 3401. Assay results are presented in Table 2 below.

Table 2. Drilling Results Lundberg deposit – Mill Area.

Drill hole	From (m)	To (m)	Core length (m)	Zn Pb Cu Combined (%)****	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
H-3398	8.42	102.00	93.58	1.99	1.11	0.48	0.40	3.02	0.03
including	8.42	37.00	28.58	1.80	0.94	0.21	0.65	3.19	0.05
including	11.00	27.00	16.00	2.03	0.81	0.22	1.00	4.58	0.05
including	11.00	17.00	6.00	2.57	0.36	0.06	2.16	6.57	0.08
including	20.00	21.00	1.00	4.91	3.00	1.32	0.59	6.85	0.04
and	29.00	37.00	8.00	2.15	1.63	0.28	0.24	0.91	0.03
and	40.30	46.00	5.70	1.41	0.78	0.31	0.32	2.28	0.02
and	50.00	96.00	46.00	2.61	1.49	0.77	0.35	3.55	0.02
including	65.00	68.00	3.00	6.09	4.07	1.55	0.47	4.34	0.01
including	73.62	78.40	4.78	6.34	3.71	1.84	0.79	5.62	0.04
including	75.00	77.10	2.10	10.07	6.05	2.98	1.03	8.59	0.05
including	76.30	77.10	0.80	14.60	8.70	4.60	1.30	10.60	0.06

Drill hole	From (m)	To (m)	Core length (m)	Zn Pb Cu Combined (%)****	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
and	99.00	102.00	3.00	1.71	1.04	0.44	0.23	1.84	0.01
H-3400	9.36	71.00	61.64	2.53	1.43	0.66	0.45	3.41	0.02
including	9.36	35.00	25.64	2.48	1.42	0.76	0.30	3.17	0.02
including	18.00	21.50	3.50	4.17	2.38	1.48	0.31	3.30	0.01
including	18.00	18.50	0.50	11.04	6.50	4.10	0.44	7.88	0.02
including	38.00	71.00	33.00	2.76	1.53	0.63	0.60	3.77	0.02
including	51.00	59.00	8.00	5.15	2.70	1.13	1.32	6.04	0.02
including	51.00	52.00	1.00	12.50	6.10	3.10	3.30	9.93	0.04
and	78.00	79.00	1.00	2.05	1.36	0.37	0.32	1.71	0.02
and	80.00	82.00	2.00	1.46	0.76	0.40	0.31	3.26	0.03
H-3401	7.00	30.00	23.00	1.85	1.15	0.46	0.24	2.00	0.02
including	7.00	14.00	7.00	1.53	0.95	0.35	0.23	1.73	0.02
and	19.00	30.00	11.00	2.59	1.63	0.65	0.31	2.28	0.01
including	19.00	20.00	1.00	7.13	4.30	1.54	1.29	3.42	0.03
including	28.00	29.00	1.00	5.86	4.10	1.48	0.28	2.05	0.01
and	36.00	38.00	2.00	2.32	1.14	1.02	0.17	4.97	0.01
and	41.00	46.00	5.00	2.01	1.07	0.68	0.26	3.29	0.01
and	58.00	60.00	2.00	1.67	1.37	0.23	0.08	1.21	0.01
H-3405	no significant mineralization observed - not sampled								

Engine House Area Results

Four additional holes were positioned to test the eastern (H-3402 & H-3409) and southern (H-3403 & H-3404) boundaries of the previously identified Engine House mineralization. Holes H-3402 and H-3409 tested the mineralization's eastern boundary and encountered only limited mineralization, as did hole H-3403 which tested the mineralization's southern boundary. Hole 3404, a step-out hole southwest of H-3403, failed to encounter significant mineralization and was not sampled. A fifth hole, H-3408, was drilled to test for mineralization 210 metres to the west of the Engine House Area, approximately 45 metres south of former Lucky Strike mine workings. This hole did not intersect significant mineralization. Assay results are summarized in Table 3 below.

Table 3. Drilling Results Lundberg deposit – Engine House Area.

Drill hole	From (m)	To (m)	Core length (m)	Zn Pb Cu Combined (%)****	Zn (%)	Pb (%)	Cu (%)	Ag (g/t)	Au (g/t)
H-3402	48.50	51.50	3.00	1.65	0.97	0.64	0.04	0.63	0.01
and	88.00	90.00	2.00	2.29	1.25	0.97	0.08	2.06	0.01
and	92.00	94.00	2.00	1.23	0.75	0.44	0.04	0.51	0.01
H-3403	101.50	102.50	1.00	1.57	0.88	0.61	0.08	15.60	0.12
and	108.00	118.04	10.04	1.04	0.59	0.35	0.10	7.79	0.08
and	108.00	109.30	1.30	6.39	3.52	2.16	0.71	52.57	0.58
including	108.00	108.50	0.50	9.63	5.70	3.40	0.53	96.20	0.40
and	117.54	118.04	0.40	3.96	2.60	1.29	0.07	16.40	0.01
H-3409	18.75	21.00	2.25	1.20	0.85	0.30	0.04	2.85	0.01
H-3404	no significant mineralization observed - not sampled								
H-3408	no significant mineralization observed - sampled								

Qualified Person & Sampling Procedure

The drill program was managed by Mercator Geological Services Limited of Dartmouth Nova Scotia under the direction of Peter Webster, P.Geo., (NL). Drill intercepts quoted are core lengths and true widths have not been estimated due to the stockwork and disseminated nature of mineralization intersected. Logging, sampling and assaying procedures are being completed as per Royal Roads' QA/QC protocols as described in Royal Roads press release dated February 27th, 2007. Paul Moore, M.Sc., P.Geo., (NL), Royal Roads' Vice President of Exploration, is acting as Qualified Person in compliance with National Instrument 43-101 with respect to this release and has reviewed the contents for accuracy.

2008 Drilling Highlights

Highlights from the previous 2008 Lundberg drilling are identified below and are grouped according to their location within the Mill Area, North Area and Engine House Area:

Mill Area Highlights:

- Hole H-3356 **44.73 metres averaging 7.21% combined base metals** comprised of 4.85% Zn, 1.64% Pb, 0.72% Cu, 19.4 g/t Ag and 0.17 g/t Au. (announced February 6, 2008).
- Hole H-3358 **51.00 metres averaging 3.55% combined base metals** comprised of 2.04% Zn, 0.83% Pb, 0.68% Cu, 11.0 g/t Ag and 0.11 g/t Au. (announced February 6, 2008).
- Hole H-3361 **23.15 metres averaging 6.52% combined base metals** comprised of 4.22% Zn, 1.99% Pb, 0.41% Cu, 17.1 g/t Ag and 0.21 g/t Au (announced February 25, 2008).
- Hole H-3363 **13.61 metres averaging 2.93% combined base metals** comprised of 1.32% Zn, 0.34% Pb, 1.27% Cu, 4.8 g/t Ag and 0.04 g/t Au. (announced February 25, 2008).
- Hole H-3377 **94.00 metres averaging 2.07% combined base metals** comprised of 1.19% Zn, 0.56% Pb, 0.32% Cu, 2.68 g/t Ag and 0.03 g/t Au, including 20 metres of 3.75% combined base metals comprised of 2.12% Zn, 1.17% Pb, 0.46% Cu, 3.82 g/t Ag and 0.06 g/t Au (announced March 28, 2008).

North Area Highlights:

- Hole H-3375 **17.00 metres averaging 3.09% combined base metals** comprised of 2.08% Zn, 0.78% Pb, 0.23% Cu, 4.33 g/t Ag and 0.02 g/t Au (announced March 28, 2008).
- Hole H-3378 **16.00 metres averaging 2.19% combined base metals** comprised of 1.29% Zn, 0.62% Pb, 0.28% Cu, 3.53 g/t Ag and 0.04g/t Au (announced March 28, 2008).
- Hole H-3380 **89.33 metres averaging 2.44% combined base metals** comprised of 1.41% Zn, 0.76% Pb, 0.27% Cu, 6.29 g/t Ag and 0.06g/t Au (announced March 28, 2008).
- Hole H-3381 **36.69 metres averaging 2.16% combined base metals** comprised of 1.22% Zn, 0.61% Pb, 0.33% Cu, 5.53 g/t Ag and 0.05 g/t Au (announced March 28, 2008).
- Hole H-3382 **26.00 metres averaging 2.28% combined base metals** comprised of 1.59% Zn, 0.60% Pb, 0.09% Cu, 1.70 g/t Ag and 0.02g/t Au (announced April 14, 2008).
- Hole H-3383A **32.35 metres averaging 2.08% combined base metals** comprised of 1.28% Zn, 0.61% Pb, 0.20% Cu, 3.80 g/t Ag and 0.03 g/t Au (announced April 14, 2008).
- Hole H-3386 **5.13 metres averaging 2.06% combined base metals** comprised of 0.64% Zn, 0.22% Pb, 1.21% Cu, 5.34 g/t Ag and 0.04g/t Au (announced April 14, 2008).
- Hole H-3389 **38.00 metres averaging 2.53% combined base metals** comprised of 1.60% Zn, 0.67% Pb, 0.27% Cu, 4.17 g/t Ag and 0.04 g/t Au (announced June 3, 2008).
- Hole H-3395 **68.0 metres averaging 2.84% combined base metals** comprised of 1.76% Zn, 0.77% Pb, 0.31% Cu, 6.91 g/t Ag and 0.06 g/t Au (announced June 3, 2008).
- Hole H-3396 **117.0 metres averaging 3.45% combined base metals (Zn+Pb+Cu)** comprised of 2.06% Zn, 1.05% Pb, 0.34% Cu, 5.09 g/t Ag and 0.04 g/t Au

including **16.00 metres averaging 10.30% combined base metals** comprised of 6.64% Zn, 3.01% Pb, 0.65% Cu, 15.06 g/t Ag and 0.11 g/t Au (announced June 3, 2008).
Hole H-3397 **28.76 metres averaging 2.68% combined base metals** comprised of 1.46% Zn, 0.44% Pb, 0.79% Cu, 4.45 g/t Ag and 0.00 g/t Au (announced June 3, 2008). Including **10.00 metres averaging 4.20% combined base metals** comprised of 2.06% Zn, 0.46% Pb, 1.67% Cu, 6.44 g/t Ag and 0.00 g/t Au (announced June 3, 2008).

Engine House Area Highlights:

Hole H-3359 12.50 metres averaging 5.57% combined base metals comprised of 2.61% Zn, 0.96% Pb, 2.01% Cu, 14.34 g/t Ag and 0.14 g/t Au. (announced Feb 25, 2008).
Hole H-3366 22.33 metres averaging 3.13% combined base metals comprised of 1.14% Zn, 0.66% Pb, 1.33% Cu, 10.05 g/t Ag and 0.08 g/t Au (announced March 28, 2008).
Hole H-3368 6.26 metres averaging 2.24% combined base metals comprised of 0.45% Zn, 0.47% Pb, 1.32% Cu, 9.63 g/t Ag and 0.06 g/t Au (announced March 28, 2008).
Hole H-3374 7.50 metres averaging 6.19% combined base metals comprised of 3.75% Zn, 1.64% Pb, 0.80% Cu, 21.30 g/t Ag and 0.40 g/t Au (announced March 28, 2008).

About Royal Roads

Royal Roads is a resource company based in Halifax, Nova Scotia, Canada and is focused on exploring and developing base metal properties in the famous Buchans and Victoria Lake mining camps in central Newfoundland and Labrador, Canada, where Royal Roads controls property totaling 33,700 hectares, including the historic Buchans mines, the Lundberg deposit in the Buchans camp and the Daniels Pond deposit in the Victoria Lake camp. The Company also controls several exploration properties outside of the Buchans camp, including several under joint venture to Prominex Resource Corp. (PXR – TSX-V) and Playfair Mining Ltd. (PLY – TSX-V), which are being actively explored. Royal Roads is 29.18% controlled by Acadian Mining Corporation, a Halifax based resource company producing lead and zinc from its Scotia Mine and developing gold and base metal properties in Nova Scotia.

Forward Looking Statements

Certain information regarding Royal Roads contained herein may constitute forward-looking statements within the meaning of applicable securities laws. Forward-looking statements may include estimates, plans, expectations, opinions, forecasts, projections, guidance or other statements that are not statements of fact. Although Royal Roads believes that the expectations reflected in such forward-looking statements are reasonable, it can give no assurance that such expectations will prove to have been correct. The Company cautions that actual performance will be affected by a number of factors, many of which are beyond Royal Roads' control, and that future events and results may vary substantially from what both companies currently foresee. Royal Roads' forward-looking statements are expressly qualified in their entirety by this cautionary statement.

FOR FURTHER INFORMATION ABOUT ROYAL ROADS PLEASE CONTACT:

Warren G. MacLeod, President & CEO of Royal Roads, or
David Felderhof, Vice-President of Royal Roads

(902) 444-3637
Halifax, Nova Scotia

The TSX Venture Exchange does not accept responsibility for the adequacy or accuracy of this release.